

# KIND

TASK, MESH & EXECUTIVE

## PLEDGE



## KIND: POSTURE & COMFORT

---

Ethos is a very high specification chair, designed to provide superb comfort. Standard features include inflatable lumbar, independent seat and back mechanism, and integral seat slide.

# KIND MESH

---

## MATERIALS

### **AUTO-WEIGHT SYNCHRO MECHANISM**

Seat and back move at a ratio of 2:3:1

Back angle adjustment 25° with infinite locking

Seat angle adjustment 12.5° with infinite locking

Body weight tension control

### **SEAT SLIDE**

Seat depth adjustment (50 mm range)

### **SEAT**

Upholstered seat pad

Combustion Modified High Resilience (CMHR) foam

Black polypropylene under seat

### **BACK**

Upholstered back and outer back

Combustion Modified High Resilience (CMHR) foam

### **ARMS**

Fixed aluminium arms

### **BACK**

Height adjustable with 7 cm adjustment

Fully upholstered ergonomically shaped back with Combustion Modified High Resilience (CMHR) foam and 12 mm pre-formed laminated birch inner

Manually operated inflatable lumbar support

### **ARMS**

3D adjustable arms (height & width)

Polyurethane arm pads

## POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

## CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)





## OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

# KIND MESH



## KDT01B | Black Frame Mesh Back.





Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg

## KDT02B | Black Mesh Back Fixed Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17 kg

## KDT03B | Black Mesh Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17.5 kg



## KDT01W/SS/B | White Mesh Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg

## KDT03W/SS/B | White Mesh Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17 kg

## KDT01W/SS | White Frame Mesh Back.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	17.5 kg

# KIND MESH

---



## KDT03W/SS | White Mesh Back Adj. Arms.

Overall Width 670 mm

---

Overall Depth 670 mm

---

Seat Height 440-560 mm

---

Seat Depth 440 mm

---

Back Height 620 mm

---

Weight 15 kg

# KIND TASK

---

## MATERIALS

### **AUTO-WEIGHT SYNCHRO MECHANISM**

Body weight responsive mechanism

Seat angle 6° adjustment lockable in 5 positions

Back angle 20° adjustment lockable in 5 positions

### **SEAT & BACK**

Upholstered seat and back

Combustion Modified High Resilience (CMHR) foam

Black Polypropylene Outer

### **ARMS**

Height and depth adjustable arms

Polyurethane pads

### **BASE & CASTORS**

670 mm five star glass filled nylon base

60 mm twin wheel polyamide castors

Load capacity 50 kgs per castor (total 250 kgs)

### **GAS LIFT**

Black outer support cylinder with 120 mm of adjustment

Suitable for users up to 150 kgs

## POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

## CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)






## OPERATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

# KIND TASK



## KDT11B | Uph. Medium Back.


Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	14.5 kg

## KDT13B | Uph. Medium Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	17 kg

## KDT21B | Uph. High Back.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	15 kg



## KDT23B | Uph. High Back Adj. Arms.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	17.5 kg

# KIND EXECUTIVE

---

## MATERIALS

### **AUTO-WEIGHT SYNCHRO MECHANISM**

Seat and back move at a ratio of 2:3:1

Back angle adjustment 25° with infinite locking

Seat angle adjustment 12.5° with infinite locking

Body weight tension control

### **SEAT SLIDE**

Seat depth adjustment (60 mm range)

### **SEAT**

Upholstered seat pad

Combustion Modified High Resilience (CMHR) foam

Black polypropylene under seat

### **BACK**

Upholstered back and outer back

Combustion Modified High Resilience (CMHR) foam

### **ARMS**

Fixed aluminium arms

3D adjustable arms with aluminium supports

### **BASE & CASTORS**

670 mm diameter five star polished aluminium base

65 mm hard castors

Load capacity 50 kgs per castor (total 250 kgs)

### **GAS LIFT**

Black outer support cylinder with 120 mm of adjustment suitable for users up to 150 kgs

## POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

## CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

## OPERATION




Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.



# KIND EXECUTIVE



## KDT32C | Exec. Task Chair.


Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620 mm
Weight	15 kg

## KDT33C | Exec. Task Chair.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	14.5 kg

## KDT42C | Exec. Task Chair with Head Rest.

Overall Width	670 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	520-580 mm
Weight	17 kg



## KDT43C | Exec. Task Chair with Head Rest.

Overall Width	510 mm
Overall Depth	670 mm
Seat Height	440-560 mm
Seat Depth	440 mm
Back Height	620-680 mm
Weight	15 kg

# KIND COLLECTION

---

## BASE FINISH



Silver RAL 9006 (P)



Chrome (C)

## OPTIONS

### SEAT

Memory seat foam (ME)  
Coccyx cut out (CO)

### MECHANISM

Synchronised 2:1 ratio with body weight tension control

### CASTORS & GLIDES

Glides  
Soft wheel castors  
Brake loaded or un-loaded castors

## NOTES

Headrest adds an additional 180-250 mm to the height of the back and has a depth adjustment of 100 mm

## ENVIRONMENTAL

Recycled Content: 30% (estimated)  
Recyclable Content: 95%

Plastic components >25 g are labelled in accordance with ISO 11469

